


Figure 2A





Binding of Alt-2-CA125 to Dendritic Cells in the Absence and Presence of HAMA 2 **HAMA Concentration** Alt-2-FITC + CA125 Alt-2 + CA125-FITC Figure 2B 1 쮏 


Alt-2: 1 µg/ml, CA125: 8000 U/ml

Figure 3A

Figure 3B











Figure 5: Tumor Growth - Study 1



Time post Tumor Transplantation [Days]

Figure 6: Survival Data - Study 2




Figure 7: Effect of IP Alt-2 or Control Antibody on Tumor Volume in Human-PBL-SCID/bg

Mice with Established SC NIH:OVCAR-NU-3 Tumors - Study 3




Figure 8: Tumor Preventive Effect of IP MAb-B43.13 in NIH:OVCAR-NU-3 SC-Tumor

Bearing Human-PBL-SCID/bg Mice - Study 4

**Tumor Development** Median Time to 19.5 days 21 days 26 days 21 days 6 --- MAb-170 + PBL ..... No Treatment Time post Tumor Implantation [Days] --- Alt-2 + PBL --- PBS + PBL က္က 25 29 100 80-40--09 20-Percent Tumor-Free Mice

Figure 9: Tumor Weight on Day 32





Figure 10: Tumor Weight on Day 32



**Treatment** 

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.